




Available online at www.sciencedirect.com



European Journal of Obstetrics & Gynecology and
Reproductive Biology 118 (2005) 47–51

EUROPEAN JOURNAL OF
OBSTETRICS &
GYNECOLOGY
AND REPRODUCTIVE BIOLOGY

www.elsevier.com/locate/ejogrb

Measurement of the total antioxidant response in preeclampsia with a novel automated method

Mehmet Harma^{a,*}, Muge Harma^a, Ozcan Erel^b


^aDepartments of Obstetrics and Gynecology, Medical School, University of Harran, Sanliurfa, Turkey

^bDepartments of Biochemistry, Medical School, University of Harran, Sanliurfa, Turkey

Received 1 March 2004; accepted 13 April 2004



Available online at www.sciencedirect.com



Clinical Biochemistry 38 (2005) 981–986

CLINICAL
BIOCHEMISTRY

Plasma total antioxidant capacity, lipid peroxidation, and erythrocyte antioxidant enzyme activities in patients with rheumatoid arthritis and osteoarthritis

Sezgin Sarban^{a,*}, Abdurrahim Kocyigit^b, Mithat Yazar^a, Ugur E. Isikan^a

^a Department of Orthopaedic Surgery, Harran University, Medical Faculty, 63200 Sanliurfa, Turkey


^b Department of Biochemistry, Harran University, Medical Faculty, 63200 Sanliurfa, Turkey

Received 22 June 2005; received in revised form 2 August 2005; accepted 15 August 2005

Available online 16 September 2005



Available online at www.sciencedirect.com



Progress in Neuro-Psychopharmacology & Biological Psychiatry 32 (2008) 487–491

Progress in
Neuro-Psychopharmacology
& Biological Psychiatry

www.elsevier.com/locate/pnpbp

Oxidative imbalance in obsessive compulsive disorder patients: A total evaluation of oxidant–antioxidant status

Salih Selek^b, Hasan Herken^{a,*}, Mahmut Bulut^b, Mehmet F. Ceylan^c,
Hakim Celik^d, Haluk A. Savas^b, Ozcan Erel^d

^a Pamukkale Üniversitesi, Psikiyatri AD., Denizli/Turkey

^b Gaziantep University, Sahinbey Research Hospital, Psychiatry Department, Gaziantep/Turkey

^c Gaziantep University, Sahinbey Research Hospital, Child and Adolescent Psychiatry Department, Gaziantep/Turkey

^d Harran University, Research Hospital, Clinical Biochemistry Department, Sanliurfa/Turkey

Received 28 July 2007; received in revised form 25 September 2007; accepted 2 October 2007

Available online 10 October 2007



Available online at www.sciencedirect.com

SCIENCE @ DIRECT®

Clinical Biochemistry 38 (2005) 1103–1111

CLINICAL
BIOCHEMISTRY

A new automated colorimetric method for measuring total oxidant status

Ozcan Erel *

Department of Clinical Biochemistry, Faculty of Medicine, Research Hospital, Harran University, Sanliurfa TR-63100, Turkey

Received 27 April 2005; received in revised form 29 June 2005; accepted 4 August 2005
Available online 7 October 2005



ELSEVIER

Available online at www.sciencedirect.com

SCIENCE @ DIRECT®

Mutation Research 578 (2005) 298–307

MR

Fundamental and Molecular
Mechanisms of Mutagenesis

www.elsevier.com/locate/molmut
Community address: www.elsevier.com/locate/mutres

Lymphocyte DNA damage in patients with acute coronary syndrome and its relationship with severity of acute coronary syndrome

Recep Demirbag ^{a,*}, Remzi Yilmaz ^a, Mustafa Gur ^a, Abdurrahim Kocyigit ^b,
Hakim Celik ^b, Salih Guzel ^b, Sahabettin Selek ^b

^a *Harran University, Faculty of Medicine, Department of Cardiology, Sanliurfa, Turkey*

^b *Harran University, Faculty of Medicine, Department of Clinical Biochemistry, Sanliurfa, Turkey*

Received 31 March 2005; received in revised form 15 May 2005; accepted 26 May 2005
Available online 27 June 2005



ELSEVIER

Oxidant and Antioxidant Parameters in the Treatment of Meningitis

Ali Aycicek, MD^{*}, Akın İscan, MD[†], Ozcan Erel, MD[‡], Mustafa Akcalı, MD[§], and
Ali Rıza Ocak, MD[‡]



Available online at www.sciencedirect.com



Mutation Research 601 (2006) 144–149



Fundamental and Molecular
Mechanisms of Mutagenesis

www.elsevier.com/locate/molmut

Community address: www.elsevier.com/locate/mutres

Lymphocyte DNA damage and oxidative stress in patients with iron deficiency anemia

Mehmet Aslan^{a,*}, Mehmet Horoz^a, Abdurrahim Kocyigit^b, Saadet Ozgonül^a,
Hakim Celik^b, Metin Celik^c, Ozcan Erel^b

^a *Harran University, School of Medicine, Department of Internal Medicine, Sanliurfa, Turkey*

^b *Harran University, School of Medicine, Department of Biochemistry, Sanliurfa, Turkey*

^c *Güven Medicine Center, Internal Medicine Clinic, Sanliurfa, Turkey*

Received 5 April 2006; received in revised form 5 June 2006; accepted 15 June 2006

Available online 22 August 2006



Available online at www.sciencedirect.com



Mutation Research 617 (2007) 111–118



Fundamental and Molecular
Mechanisms of Mutagenesis

www.elsevier.com/locate/molmut

Community address: www.elsevier.com/locate/mutres

Lymphocyte DNA damage is associated with increased aortic intima-media thickness

Mustafa Gur^{a,*}, Remzi Yilmaz^a, Recep Demirbag^a, Ali Yildiz^a,
Abdurrahim Kocyigit^b, Hakim Celik^b, Murat Cayli^c,
Mustafa Polat^a, M. Menduh Bas^a

^a *Harran University, Faculty of Medicine, Department of Cardiology, Sanliurfa, Turkey*

^b *Harran University, Faculty of Medicine, Department of Clinical Biochemistry, Sanliurfa, Turkey*

^c *Cukurova University, Faculty of Medicine, Department of Cardiology, Adana, Turkey*

Received 19 April 2006; received in revised form 14 January 2007; accepted 17 January 2007

Available online 2 February 2007



Available online at www.sciencedirect.com

SCIENCE @ DIRECT®

Clinical Biochemistry 38 (2005) 981–986

CLINICAL
BIOCHEMISTRY

Plasma total antioxidant capacity, lipid peroxidation, and erythrocyte antioxidant enzyme activities in patients with rheumatoid arthritis and osteoarthritis

Sezgin Sarban^{a,*}, Abdurrahim Kocyigit^b, Mithat Yazar^a, Ugur E. Isikan^a

^a Department of Orthopaedic Surgery, Harran University, Medical Faculty, 63200 Sanliurfa, Turkey

^b Department of Biochemistry, Harran University, Medical Faculty, 63200 Sanliurfa, Turkey

Received 22 June 2005; received in revised form 2 August 2005; accepted 15 August 2005

Available online 16 September 2005



Available online at www.sciencedirect.com

SCIENCE @ DIRECT®

Mutation Research 578 (2005) 298–307

MR

Fundamental and Molecular
Mechanisms of Mutagenesis

www.elsevier.com/locate/molmut

Community address: www.elsevier.com/locate/mutres

Lymphocyte DNA damage in patients with acute coronary syndrome and its relationship with severity of acute coronary syndrome

Recep Demirbag^{a,*}, Remzi Yilmaz^a, Mustafa Gur^a, Abdurrahim Kocyigit^b, Hakim Celik^b, Salih Guzel^b, Sahabettin Selek^b

^a Harran University, Faculty of Medicine, Department of Cardiology, Sanliurfa, Turkey

^b Harran University, Faculty of Medicine, Department of Clinical Biochemistry, Sanliurfa, Turkey

Received 31 March 2005; received in revised form 15 May 2005; accepted 26 May 2005

Available online 27 June 2005



Nutrition 22 (2006) 616–619

NUTRITION

www.elsevier.com/locate/nut

Applied nutritional investigation

Breast milk provides better antioxidant power than does formula

Ali Aycicek, M.D.^{a,*}, Ozcan Erel, M.D.^b, Abdurrahim Kocyigit, M.D.^b, Sahbettin Selek, M.D.^b, and Mehmet Resit Demirkol, M.D.^a

^a Department of Pediatrics, Children's Hospital at Sanliurfa, Sanliurfa, Turkey

^b Department of Clinical Biochemistry, Harran University, Medical Faculty, Research Hospital, Sanliurfa, Turkey

Manuscript received May 8, 2005; accepted December 22, 2005.



Increased lymphocyte deoxyribonucleic acid damage in patients with cardiac syndrome X

Mustafa Gur^{a,*}, Ali Yildiz^a, Recep Demirbag^a, Remzi Yilmaz^a,
Abdurrahim Koçyigit^b, Hakim Celik^b, Nurten Aksoy^a

^a *Harran University, Faculty of Medicine, Department of Cardiology, Sanliurfa, Turkey*

^b *Harran University, Faculty of Medicine, Department of Clinical Biochemistry, Sanliurfa, Turkey*

Received 5 June 2006; received in revised form 30 June 2006; accepted 26 August 2006

Available online 16 December 2006



Relationship between left ventricle geometric patterns and lymphocyte DNA damage in patients with untreated essential hypertension

Mustafa Gur^{a,*}, Ali Yildiz^a, Recep Demirbag^a, Remzi Yilmaz^a, Abdurrahim Koçyigit^b,
Hakim Celik^b, Nurten Aksoy^b

^a *Harran University, Faculty of Medicine, Department of Cardiology, Sanliurfa, Turkey*

^b *Harran University, Faculty of Medicine, Department of Clinical Biochemistry, Sanliurfa, Turkey*

Received 30 July 2006; received in revised form 17 October 2006; accepted 25 October 2006

Available online 14 December 2006



Increased DNA damage and oxidative stress in patients with rheumatoid arthritis

Ozlem Altindag^{a,*}, Mehmet Karakoc^b, Abdurrahim Kocoyigit^c, Hakim Celik^c, Neslihan Soran^a

^a *Harran University, Medical Faculty, Research Hospital, Department of Physical Medicine and Rehabilitation, TR-63100 Sanliurfa, Turkey*

^b *Ozel Yasam Physical Medicine and Rehabilitation Hospital, Aksaray, Turkey*

^c *Harran University Faculty of Medicine, Department of Biochemistry, Sanliurfa, Turkey*

Received 26 May 2006; received in revised form 3 October 2006; accepted 5 October 2006

Available online 19 October 2006



Available online at www.sciencedirect.com

SCIENCE @ DIRECT®

Mutation Research 570 (2005) 197–203

MR

Fundamental and Molecular
Mechanisms of Mutagenesis

www.elsevier.com/locate/molmut

Community address: www.elsevier.com/locate/mutres

Relationship between DNA damage, total antioxidant capacity and coronary artery disease

Recep Demirbag^{a,*}, Remzi Yilmaz^a, Abdurrahim Kocyigit^b

^a *Harran University, Faculty of Medicine, Department of Cardiology, PK 112, 63200 Sanliurfa, Turkey*

^b *Harran University, Faculty of Medicine, Department of Clinical Chemistry, Sanliurfa, Turkey*

Received 20 September 2004; received in revised form 6 November 2004; accepted 12 November 2004

Available online 19 December 2004



Available online at www.sciencedirect.com

SCIENCE @ DIRECT®

Mutation Research 583 (2005) 49–54

MR

Genetic Toxicology and
Environmental Mutagenesis

www.elsevier.com/locate/genotox

Community address: www.elsevier.com/locate/mutres

Increased DNA damage in patients with complete hydatidiform mole

Mehmet Harma^{a,*}, Muge Harma^a, Abdurrahim Kocyigit^b, Ozcan Erel^b

^a *Department of Obstetrics and Gynecology, University of Harran, Medical School, Sanliurfa, Turkey*

^b *Department of Biochemistry, University of Harran, Medical School, Sanliurfa, Turkey*

Received 27 August 2004; received in revised form 24 January 2005; accepted 31 January 2005

Available online 26 March 2005



Available online at www.sciencedirect.com

ScienceDirect

Journal of Food Engineering 81 (2007) 702–709

JOURNAL OF
FOOD
ENGINEERING

www.elsevier.com/locate/jfoodeng

Effect of brewers spent grain addition and screw speed on the selected physical and nutritional properties of an extruded snack

Paul Ainsworth^a, Şenol İbanoğlu^{b,*}, Andrew Plunkett^a,
Esra İbanoğlu^b, Valentina Stojceska^a

^a *Department of Food and Consumer Technology, Hollings Faculty, The Manchester Metropolitan University, Old Hall Lane, M14 6HR, UK*

^b *Department of Food Engineering, Gaziantep University, 27310 Gaziantep, Turkey*

Received 20 July 2006; received in revised form 12 January 2007; accepted 14 January 2007

Available online 26 January 2007



Available online at www.sciencedirect.com

SCIENCE @ DIRECT®

Journal of Food Engineering 77 (2006) 680–686

JOURNAL OF
FOOD
ENGINEERING

www.elsevier.com/locate/jfoodeng

Effect of wheat germ/bran addition on the chemical, nutritional and sensory quality of tarhana, a fermented wheat flour-yoghurt product

Nermin Bilgiçli ^a, Adem Elgün ^a, Emine Nur Herken ^b, Selman Türker ^a,
Nilgün Ertaş ^a, Şenol İbanoğlu ^{b,*}

^a Department of Food Engineering, Agricultural College, Selçuk University, Konya, Turkey

^b Department of Food Engineering, Engineering Faculty, Gaziantep University, Gaziantep, Turkey

Available online 15 September 2005



Available online at www.sciencedirect.com

SCIENCE @ DIRECT®

Journal of Food Engineering 78 (2007) 366–372

JOURNAL OF
FOOD
ENGINEERING

www.elsevier.com/locate/jfoodeng

Effect of storage on the phytic acid content, total antioxidant capacity and organoleptic properties of macaroni enriched with cowpea flour

Emine Nur Herken ^a, Şenol İbanoğlu ^{a,*}, Mehmet D. Öner ^a, Nermin Bilgiçli ^b, Salih Güzel ^c

^a Department of Food Engineering, Engineering Faculty, Gaziantep University, 27310 Gaziantep, Turkey

^b Department of Food Engineering, Agricultural Faculty, Selçuk University, 42075 Konya, Turkey

^c Department of Biochemistry, Faculty of Medicine, Harran University, 63100 Sanliurfa, Turkey

Received 10 March 2005; accepted 6 October 2005

Available online 21 November 2005

Oxidative and antioxidative capacity in children with cerebral palsy

Ali Aycicek^{a,*}, Akin Iscan^b

^a *Sanliurfa Children's Hospital, Department of Pediatrics, Sanliurfa, Turkey*

^b *Harran University, Medical Faculty, Research Hospital, Department of Paediatric Neurology, Sanliurfa, Turkey*

Received 3 September 2005; received in revised form 7 November 2005; accepted 22 March 2006

Available online 18 April 2006

Nutrition, Metabolism & Cardiovascular Diseases (2007) 17, 734–740



Nutrition,
Metabolism &
Cardiovascular Diseases

www.elsevier.com/locate/nmcd

Relationship between total oxidant status and severity of diabetic nephropathy in type 2 diabetic patients

Mehmet Aslan^{a,*}, Tevfik Sabuncu^a, Abdurrahim Kocyigit^b,
Hakim Celik^b, Sahbettein Selek^b

^a *Department of Endocrinology, Faculty of Medicine, Harran University, Sanliurfa, Turkey*

^b *Department of Clinical Chemistry, Faculty of Medicine, Harran University, Sanliurfa, Turkey*

Received 14 March 2006; received in revised form 14 August 2006; accepted 27 August 2006



Available online at www.sciencedirect.com

SCIENCE @ DIRECT®

Clinical Biochemistry 37 (2004) 277–285

CLINICAL
BIOCHEMISTRY

A novel automated direct measurement method for total antioxidant capacity using a new generation, more stable ABTS radical cation

Ozcan Erel*

Clinical Biochemistry Department, Medical Faculty, Research Hospital, Harran University, Sanliurfa TR63200, Turkey

Received 20 May 2003; received in revised form 27 November 2003; accepted 28 November 2003

Accepted Manuscript

Cauliflower by – products as a new source of dietary fibre, antioxidants and proteins in cereal based ready-to-eat expanded snacks

Valentina Stojceska, Paul Ainsworth, Andrew Plunkett, Esra İbanoğlu, Şenol İbanoğlu

PII: S0260-8774(08)00039-3
DOI: 10.1016/j.jfoodeng.2008.01.009
Reference: JFOE 5209

To appear in: *Journal of Food Engineering*

Received Date: 29 November 2007
Revised Date: 14 January 2008
Accepted Date: 15 January 2008



Please cite this article as: Stojceska, V., Ainsworth, P., Plunkett, A., İbanoğlu, E., İbanoğlu, Ş., Cauliflower by – products as a new source of dietary fibre, antioxidants and proteins in cereal based ready-to-eat expanded snacks, *Journal of Food Engineering* (2008), doi: 10.1016/j.jfoodeng.2008.01.009



Available online at www.sciencedirect.com

 ScienceDirect

Clinical Biochemistry 40 (2007) 37–40

CLINICAL
BIOCHEMISTRY

Serum prolidase activity and oxidative status in *Helicobacter pylori* infection

Mehmet Aslan^{a,*}, Yasar Nazligul^b, Mehmet Horoz^a, Cengiz Bolukbas^b, Fusun F. Bolukbas^b,
Nurten Aksoy^c, Hakim Celik^c, Ozcan Erel^c

^a Harran University, School of Medicine, Department of Internal Medicine, Sanliurfa, Turkey

^b Harran University, School of Medicine, Division of gastroenterology, Sanliurfa, Turkey

^c Harran University, School of Medicine, Department of Biochemistry, Sanliurfa, Turkey

Received 21 April 2006; received in revised form 13 July 2006; accepted 13 August 2006
Available online 30 August 2006